

Appl. No. 09/555,592  
Amdt. Dated October 11, 2004  
Reply to Office action of July 12, 2004  
Attorney Docket No. P08778-US1  
EUS/J/P/04-2131

**Amendments to the Claims:**

This listing of claims replaces all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) Method for setting up telephone-to-telephone calls using telephones connected to a PSTN/ISDN access network and using a separate packet-switched network as a by-pass network, wherein telephone gateways (GW) provide bridges between the PSTN/ISDN access network and said by-pass network, and connections being established between a calling party (A) telephone and a first gateway (GW<sub>a</sub>) and between a second gateway (GW<sub>b</sub>) and a called party (B) telephone, said method comprising the steps of:

dialing, by a calling party (A) in a one-step procedure, a by-pass network service prefix together with the number of a called party (B), said by-pass network service prefix comprising an IN-service prefix, and

analyzing said by-pass network service prefix to identify a relevant IN service for thereby routing the call to an IN node which can execute this IN service, the IN service establishing a call to said first gateway (GW<sub>a</sub>) selected from one of a plurality of gateways (GW), whereby said first gateway is made service transparent to the calling party (A), wherein a list of said gateways is stored in the by-pass network, as well as a list of respective IP-addresses and respective area code(s) associated with each of said gateways.

2. (Previously Presented) Method as claimed in claim 1,

wherein said IN service is adapted to find the closest gateway (GW) by analyzing the calling party (A) number, each of said plurality of gateways being associated with geographic areas associated with calling party locations.

Appl. No. 09/555,592  
Amdt. Dated October 11, 2004  
Reply to Office action of July 12, 2004  
Attorney Docket No. P08778-US1  
EUS/J/P/04-2131

3. (Previously Presented) Method as claimed in claim 1, further comprising the step of:

after the IN service has established the call to the first gateway (Gwa), including an associated gateway number (Gwa) as destination number in a call set-up message, as well as the calling party (A) number and the called party (B) number.

4-7. (Cancelled)

8. (Previously Presented) Method as recited in claim 1, further comprising the step of:

using the area code of the called party (B) number to find the IP-address of said second gateway (GWb).

9. (Previously Presented) Method as recited in claim 1, further comprising the step of:

including in a call set-up message towards the first gateway (GWa) the IP-address of the second gateway (GWb), so that the first gateway (GWa) can use the received second gateway (GWb) IP-address in the remaining call handling process.

10-14. (Cancelled)